

Girls2Women



Growing Up

Mary B.Moran

Girls2Women



Growing Up

Mary B. Moran

© 2012 by the author of this book. The book author retains sole copyright to her contributions to this book.

Acknowledgements:

University of Ethiopia Midwifery Students, High School Students, Teachers and School Administrators of Mekelle who helped develop this booklet.

Dr. GebreAb Barnabas who has given this project meaning.

Dr. Zerihun Abebe who has supported the project from the onset.

Dr. Angesom Kebede who provided support for the workshop.

Aberash Abay who has given generously of her time and expertise.

Author: Mary Moran

Translator: Gebremedhin Ambaye who is always there to help.

Illustrators: Mary Tang
Ethiopian Students & Teachers
Desiree Cameron

The Blurb-provided layout designs and graphic elements are copyright Blurb Inc., 2012. This book was created using the Blurb creative publishing service. The book author retains sole copyright to her and her collaborators contributions to this book.



Book contributors and Girls2Womenworkshop attendees March 2012

Tirhas Godifey MW Ayder Univ	Birtukan Matyas Student	Abeba Aberha Teacher
Arefu G/mariam MW Ayder Univ	Jemila Sied Student	Mebrat T/Haimanot Teacher
Tblets Tekia MW Ayder Univ	Tirhas Gereziher Student	Almaz Teka Vice Director
Mulu Tsegay MW Ayder Univ	Alem Negash Teacher	Zafu Mizan Student
Firutuna G/mariam Student	Tsige G/Medhin	Fthawit Mebrahtu Student
Brkti Yifther Student	StudentMulugeta G/Krstos	Feben G/Azigy Student
Zemzem Norhsen Student	Principal	Genet Tilahun Teacher
Askh helu Student	Hareg W/GebrielTeacher	Mihira Berhanu Teacher
L/gebrael W/tkleStudent	Kahsa Hadush Midwifery	Mazu Kasa Student
Meron Kassahun Student	Azmera Meresa Midwifery	Tsarkan Desta Student
Tirhas Mihretu Student	Hahwa Berhanu Student	Hiwet Etay Student
Aeb Haftay Student	Mulu G/hiwet Student	Fantu Desta V. Director
Senayt Fisha Student	Kindehafti Desaln Student	Asefu Tesheme Teacher
Mebrhit Beyene Midwifery	Rahel G/Selasie Student	Tsega Berhe Student
Brhin G/mariam Midwifery	Soliana Abraha Student	Helen Tesfay Student
Ababit H/Kiros Midwifery	Genet Melaku Student	Sara G/meskel Student
Hiwot Girmay Midwifery	Genet Menelik Teacher	Birhan Gidey Student
Abeba Teklu Midwifery	Meresa Hadis Teacher	Abeba Heylay Student
Abadit Hailu Midwifery	Abeba Abay Teacher	Askale G/Mch Teacher
L/Georgis Abay Midwifery	Diana Araya Student	Kebede Domohun Director
Slas Zewelay Midwifery	Selemon Shiferaw Director	W/Aregay G/wahid Director
Freweyni Mebrahtu MW	Hintsa G/Abzgi Student	Abrha Kiflu Director
Werkey Shshay Midwifery	Awetash Mihrete Teacher	Desalegn G/Kidan Director
Atumawit Amare Midwifery	Kisant Tamert Student	Tesfanesh Fitsum Student
Rishan Negasi Midwifery	Amlakawit Mebrahtu Student	Ataklti Alemseged Director
Genet Aessfa Student	Msirak Degefa Midwifery	Nasra Abdu Student
Abrehet Bihon Teacher	Weinshet G/Medhin Phar	Tirhas Demtsu Student
Rgbe Tesfashase Midwifery	Tseggalem Arefe Teacher	
Edul Kahsay Director	Almaz Tsegay V Director	
Mohamed Nuru V. Director	Tsge Abrha Midwifery	
Meheret Hailu Rep	Amete G/her Midwifery	
Weletebrhan Woldu Teacher	Grmansh BrhanuStudent	
Bsrat Mesele Student	Tsega G/medhin Student	
Nebyat Adane Student	Weynareg Tilahun Teacher	
	Yordanos G/medhin MW	
	Hrit Belay MW	

"Never doubt that a small group of thoughtful, committed citizens can change the world. Indeed, it is the only thing that ever has."


Margaret Mead





What is Puberty?

1. Puberty is a normal stage of development that boys & girls experience as they grow to adulthood.
 2. Puberty begins when the hypothalamus – a gland in the brain begins releasing hormones.
 3. This is normal. You have been growing and changing since you were born.
 4. Hormones are chemicals that cause bodily changes to occur slowly over time.
 5. Usually, puberty begins between 11 – 13 years for girls. A little later for boys.
 6. This is the time when girls begin to bleed from the vagina for 3-7 days every month.
- The bleeding is called menstruation or monthly period.



What is Menstruation?




Menstruation or Menses is a girl's monthly bleeding through the vagina. The uterus grows extra lining to receive the fertilized egg. When the egg is not fertilized hormones cause the uterus to shed the lining and unfertilized egg. This is called a period.

Your period usually occurs every 28 days. When you first start menstruating they may not happen so regularly. You can keep track of your period by marking on a calendar the first day of bleeding and count the number of days to your next period.

My Personal Calendar

March 2012						
Sun	Mon	Tue	Wed	Thu	Fri	Sat
						1
2	3	4	X5	X6	X7	X8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30	31					



April 2012						
Sun	Mon	Tue	Wed	Thu	Fri	Sat
		1	X2	X3	X4	X5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	X30			

Growing Up

What changes occur in a girl during puberty?

1. Hair grows under your arms & pubic area.
2. Breasts grow.
3. Nipples develop.
4. Hips get rounder, making your waist appear narrower.
5. Pimples may develop on your face.
6. Hair may become oily.
7. Reproductive organs mature.
8. Voice becomes softer.
9. You start to produce hormones.
10. Bleeding occurs once a month.
11. You may become shy.



Managing your monthly period

When you have your period, wash your vaginal area 2 or 3 times a day with soap and water. Always carry an extra pad or two when going to school. Wash your used pads in soap and water and hang them to dry in the sun to keep them fresh and clean. Walking or stretching may help if you have cramps. It may be necessary to take medicine for the pain. Talk to your mother or homeroom teacher if you do not feel well.

Keep yourself healthy with good personal hygiene, environmental hygiene & good nutrition.



Sometimes it is difficult to concentrate. We have abdominal pain, joint pain, bone pain or headache. To feel better we take medicine, drink hot tea, rest or walk.

Sometimes we feel sad, tired, or angry.

When we feel like this we talk with our mothers, older sisters, friends, or homeroom teacher.




How to make your own reusable, economical and environmentally friendly pads:

The design is two 23 x 23 cm squares of cotton.

You can save 251-348 birr per year!

1. Use **cotton** or jersey material: 2 layers sewn together.
2. Fold the pad in 3 (6 layers for protection excluding the 2 layers of the pad holder).
3. The pad holder is a winged design of 2 layers of cotton material sewn together.
4. At each end, sew a strip of material through which the folded pad fits securely.
5. Sew a button or fastener on each wing.
6. Attach the wings together on the outside of your panties.



Female Genital Mutilation or Cutting (FGM\C)

This is a practice where a girl's external reproductive organs are cut away and the vaginal area is sewn. Female Genital Mutilation/ Cutting (FGM/C) is a violation of human rights under international and Ethiopian law (the Criminal Code of the Federal Democratic Republic of Ethiopia Proclamation). Many Women's Groups and International Organizations are working hard to abolish this practice worldwide.



More Information for Girls to Know

Girls who get pregnant very young tend to have a hard time giving birth, because their bodies are not mature enough. During labor tearing between the vagina, the rectum and the urethra can occur. This is called an **obstetrical fistula**.

Early marriage and pregnancy, prolonged labor can result in tearing. The woman loses control of urine and feces. There is a special operation to repair the tear.

FGM\C: This is practiced in society to decrease early sex & incest. The girl is controlled by the family. FGM\C causes prolonged labor, heavy bleeding, shock, sepsis, fistula, sterility.

Pregnancy & Childbirth

Once a girl begins menstruation she can become pregnant. But her body is not matured enough yet to have a baby.

Pregnancy starts when the sperm meets the egg of the female during sex. The fertilized egg will grow into a baby in your uterus

During pregnancy a woman needs prenatal care and care at delivery.

Pregnancy lasts for 9 month at which time the baby is born.

During pregnancy your body goes through more changes in preparation for the birth of the baby. You will not have a period during this time.

If bleeding occurs during pregnancy you should seek medical help.

A missed period may mean you are pregnant if you had unprotected sex.



It is best for a woman to have at least 2 years between having babies. This will give her time to care for her new baby and for her body to become strong.

How can pregnancy be avoided?

Pregnancy can be avoided by:

Not having sex.

Using a condom during sex.

Knowing the infertile period during the menstrual cycle.

Using other contraceptive methods:

Contraceptive Pills

Depo-Provera

Implants

Condoms



Sexually transmitted diseases (STDs)?

STDs include gonorrhea, syphilis, Chlamydia and HIV/AIDS. STDs are spread by having unprotected sex with an infected person.

Unsafe sex is sex without having the male partner wear a condom.

Educating girls:

Most of the time a girl feels inferior to everybody when she has a problem she can't solve. She lacks confidence and is shy. An educated girl can manage her own problems.

Personal hygiene: Hand washing before & after procedures, using toilet, & before eating.

Environment hygiene:
Keep rubbish in covered bins.

Home hygiene:
Keep water, food & utensils clean and covered.
Follow safe solid & liquid disposal practices. Avoid open defecation.



HIV is transmitted by having unsafe sex, multiple sex partners, mother to child during pregnancy & labor, and at birth & breast feeding.

FGM\C:

This is practiced in society to decrease early sex & incest. The girl is controlled by the family.

FGM\C causes prolonged labor, heavy bleeding, shock, sepsis, fistula, & sterility.

A Teacher's Testimony

Haile, Deputy Vice-Principal of Frebret, Secondary School and his observations of girls

“Since the introduction of pad making in 2010, all the girls have made an adequate supply of pads with a surplus for emergencies at school. When girls begin menstruation at school the Homeroom teacher gives them self made pads. The student can be excused for the rest of the day. Maximum number of days missed from school since self made pads were introduced in 2010 is one day. It used to be 3-5 days or longer.

If they use modess [the commercial brand name] made from local material they feel proud and avoid shame. They won't be absent from school.

They will be self-reliant. They will have self-respect and self- esteem.

They will get knowledge from school. They will be free and comfortable. They will be proud of their nature.

They will give advice to other girls.



To the women and girls of Ethiopia who contributed to this book and the men who supported our efforts.



Ethiopian cotton is durable, colorful and soft. It is ideal for feminine napkins and underwear. Teaching girls how to make their own pads has provided them with a long lasting skill that is impacting their education, economical power and environmental awareness. Their self confidence and pride is evidenced by their teachers and families.



"When spider webs unite, they can tie up a lion."
Ethiopian Proverb



ልጃገረዶች ወደ ቤቶች



**አስተዳደግ
መሪ ቤ. ጥራን**

አስተዳደግ

© 2005 በመጽሐፉ ደራሲ፡- የመጽሐፉ ደራሲ
ለበረከተችው የዚህ መጽሐፍ ስጦታ ባለቤትነቷ መብት
የተጠበቀ ነው።

ምስጋና፡

ለዚህ መጽሐፍ እድገት/ብልጽግና ያበረከቱ፡ የኢትዮጵያ
ዩኒቨርሲቲ አዋላጅ ተማሪዎች፤ የሁለተኛ ደረጃ ተማሪዎች፤
መምህራን እና የመቀሌ ትምህርት ቤቶች አስትዳዳሪዎች፡-
ዶክተር ግብረአብ ባርናባስ፡ ለፕሮጀክቱ ትርጉም የሰጠ።
ዶክተር ዘራሁን አበበ፡ ለፕሮጀክቱ ከመጀመሪያ ጀምሮ
ድጋፍ የሰጠ።
ዶክተር አንገሶም ከበደ፡ ለወርክሾፑ ድጋፍ የሰጠ።
አበራሽ አባይ፡ የደግነት ስራ እና ጊዜዎ ብሎም
ችሎታዋን የሰጠች።
ደራሲ፡ ሜሪ ሞራን
አስተርጓሚ፡ ገ/መድህን አምባዬ ሁሉ ጊዜ ድጋፍን ለመስጠት
ዝግጁ የሆነ።
ሰአሊ፡ ሜሪ ታንግ
የኢትዮጵያ ተማሪዎች እና መምህራን
ደዘረይ ካሜሮን

**የመጽሐፉን አቀማመጥ/አሰራር የዲዛይኑ ንድፍ
በብለርብ Inc.2005 የተሰጠ ነው። ይህ መጽሐፍ
የተሰራው በብለርብ የፈጠራ ችሎታ ያለው
የአሳታሚ ስራ ነው። የመጽሐፉ ደራሲ ለበረከተችው
የዚህ መጽሐፍ ስጦታ ባለቤትነቷ እና እርዳታ
ላበረከቱ ሁሉ መብቱ የተጠበቀ ነው።**



የተሳፋ ሰዎች ስም ዝርዝር

ተርሃስ ጎዲፈይ አዋላጅ አ. ዩኒቨ.
አረፉ ገ/ማርያም አዋላጅ አ. ዩኒቨ.
ትብለጽ ተኪአ አዋላጅ አ. ዩኒቨ.
ሙሉ ጸጋይ አዋላጅ አ. ዩኒቨ.
ፉርቱና ገ/ማርያም ተማሪት
ብርክቲ ይፍተር ተማሪት
ዘምዘም ኖርህሰን ተማሪት
አስከህ ሃይሉ ተማሪት
ለ/ገብረኤል ወ/ተክለ ተማሪት
ሜሮን ካላሁን ተማሪት
ትርሐስ ምህረቱ ተማሪት
አይብ ሐፍተይ ተማሪት
ሰናይት ፍስሐ ተማሪት
መብርሂት በየነ አዋላጅ
ብርሂን ገ/ማርያም አዋላጅ
አባቢት ሐ/ኪሮስ አዋላጅ
ሂወት ግርማይ አዋላጅ
አብባ ተክሉ አዋላጅ
አባዲት ሃይሉ አዋላጅ
ለ/ጆወርግስ አባይ አዋላጅ
ስላስ ዘወላይ አዋላጅ
ፍረወይኒ መብራህቱ አዋላጅ
ወርቀይ ሺሻይ አዋላጅ
አቱማዊት አማረ አዋላጅ
ሪሻን ነጋሲ አዋላጅ
ገነት አሰፋ ተማሪት
አብርሀት ቢሆን መምህር
ርግቦ ተስፋሀስ አዋላጅ
ኡዱል ካህላይ ር. መምህር
መሐመድ ኑሩ ም. ዳይረክተር
ምህረት ሐይሉ ተወካይ
ወ/ብርሃን ወልዱ መምህር
ብስራት ምለስ ተማሪት

ነብያት አዳነ ተማሪት
ብርቲካን ማትያስ ተማሪት
ጀሚላ ስዒድ ተማሪት
ትርሃስ ገ/ብሔር ተማሪት
አለም ነጋሽ መምህር
ጽጌ ገ/መድህን ተማሪት
ሙሉጌታ ገ/ክርስቶስ ር. መም
ሐረግ ወ/ገብርኤል መምህር
ካህሳ ሐዱሽ አዋላጅ
አዝመራ መረሳ አዋላጅ
ሐዋ ብርሃኑ ተማሪት
ሙሉ ገ/ሂወት ተማሪት
ኪንደሐፍቲ ደሳለኝ ተማሪት
ራሄል ገ/ስላሴ ተማሪት
ሶሊአና አብርሃ ተማሪት
ገነት መላኩ ተማሪት
ገነት መነሊክ መምህር
መረሳ ሐዲስ መምህር
አብባ አባይ መምህር
ዳኖና አርአያ ተማሪት
ሰለሞን ሺፈራው ር. መምህር
ሂንጸ ገ/አብዮዝጊ ተማሪት
አወጣሽ ምሕረት መምህር
ቅሳነት ታመርት ተማሪት
አመላካዊት መብራህቱ ተማሪት
ምስራቅ ደገፋ አዋላጅ
ወይንሸት ገ/መድህን ፋርማሲ
ጽጌአለም አረፈ. መምህር
አልማዝ ጸጋይ ም. ዳይረክተር
ጽጌ አብርሃ አዋላጅ
አመተ ገ/ብሔር አዋላጅ
ግርማነሽ በርሃኑ ተማሪት

ጸጋ ገ/መድህን ተማሪት
ወይናረግ ጥላሁን መምህር
ዮርዳኖስ ገ/መድህን አዋላጅ
ሕሪት በላይ አዋላጅ
አብባ አብርሃ መምህር
መብራት ተ/ሃይማኖት መምህር
አልማዝ ተካ ም. ዳይረክተር
ዛፋ ሚዛን ተማሪት
ፍትሃዊት መብራህቱ ተማሪት
ፈበን ገ/አብዝጊ ተማሪት
ገነት ጥላሁን መምህር
ሚሒራ በርሃኑ መምህር
ማአዙ ካሳ ተማሪት
ጸርቃን ደስታ ተማሪት
ሒይወት ኢታይ ተማሪት
ፋንቱ ደስታ ም. ዳይረክተር
አሰፋ ተሸመ መምህር
ጸጋ በርሄ ተማሪት
ሔለን ተስፋይ ተማሪት
ሳራ ገ/መስከል ተማሪት
ብርሃን ጊደይ ተማሪት
አብባ ሃይላይ ተማሪት
አስካለ ገ/ሚች መምህር
ከበደ ደሞሁን ር. መምህር
ወ/አረጋይ ገ/ወሂድ ር. መምህር
አበርሃ ኪፍሉ ር. መምህር
ደሳለኝ ገ/ኪዳን ር. መምህር
ተስፋነሽ ፍጹም ተማሪት
አታክልቲ አለምሰገድ ር.
መምህር
ነስራ አበዱ ተማሪት
ትርሐስ ድምጽ ተማሪት

“ፍጹም አትጠራጠር ጥቂት ሰዎች የሚያስቡ ቃል የገቡ የአገር ነዋሪዎች ዓለምን ለመቀየር ይችላሉ። በሐቅ ይህች አንድ ናት የነበረች አሁንም ያለች”።

ማርጋሪት ሜድ




ልጃገረዶች ወደ ቤቶች

የአፍሪካ እናት



አቅመ አዳም/አቅመ ሄዋን ማለት ምንድር ነው?

1. አቅመ አዳም/አቅመ ሄዋን ማለት የወንዶች እና ልጃገረዶች ተፈጥሮአዊ አስተዳደግ ከልጅነት ወደ ትልቅነት የሚሸጋገሩበት/የሚያልፉበት ደረጃ/መንገድ/ድልድይ ነው።
2. አቅመ አዳም/አቅመ ሄዋን የሚጀምረው በአንጎል የሚገኘው ሃይፖታልመስ የሚባለው እጢ እድገንጥር መልቀቅ ሲጀምር ነው።
3. ይህ የተፈጥሮ/ሁኔታው የተለመደ ነው። ከህፃንነትሽ/ህ ጀምሮ እያደግሽ/ህ መጥተሻል/መጥተሃል።
4. እድገንጥር የተባሉ የሰውነት አካላት ከጊዜ ብዛት በቀስታ እንዲቀያየር የሚያደርጉ ከሚካሉት ናቸው።
5. በአማካይ ጉርምስና ከ11 – እስከ 13 ዓመት ባለው ጊዜ ይጀምራል። ወንዶች ግን ትንሽ ይዘገያሉ።
6. በዚህ ጊዜ ነው ከ3 ቀን እስከ 7 ቀን በወር ልጃገረዶች የወር አበባቸው/ደም መፍሰስ የሚጀምረው
7. ይህ ደም መፍሰስ የወር አበባ ተብሎ ይጠራል።




የደም መፍሰስ/የወር አበባ ማለት ምንድር ነው?

የደም መፍሰስ/የወር አበባ ማለት ምንድር ነው?

የደም መፍሰስ/የወር አበባ ማለት ልጃገረዶች በየወሩ ተፈጥሮአዊ ደም/የወር አበባ በእምሳቸው የሚፈስባቸው/የሚታይባቸው ጊዜ ነው። ማህፀን ራሱ ላይገ እንቁላል ለመቀበል ተጨማሪ የአካል ተሳታፊነትን ይጨምራል። እንቁላሉን በጊዜው ፈርተላይዝድ ካልሆነ እድገንጥር የተባሉ ከሚካሉት በማህፀን የተዘጋጀውን እንቁላል ፈርተላይዝድ እንዳይሆን ማህፀኑን እንዲያፈሰው ያደርገዋል። ይህ የሚፈሰው ደም የወር አበባ ተብሎ ይጠራል። የወር አበባ በብዛት ጊዜ በየ 28 ቀኖች ይታያል። ለመጀመሪያ ጊዜ የወር አበባ ሲታይሽ በሚቀጥለው ጊዜ በዛች ቀን ላይመጣ ይችላል። ስለዚህ የወር ካላንደር በመስራት የመጀመሪያ ቀን ምልክት በማድረግ ቀኖቹን በመከታተል/በመቁጠር በሚቀጠለው ጊዜ እንደገና ምልክት በማድረግ የወር አበባ የሚታይሽን ጊዜ ለማወቅ ትችያለሽ።



መጋቢት 2005						
አሁኗ	ሰኞ	ማክሰኞ	ፍታ	ሐሙስ	አርብ	ቅዳሜ
						1
X2	X3	X4	X5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
X30						



ማያዝያ 2005						
አሁኗ	ሰኞ	ማክሰኞ	ፍታ	ሐሙስ	አርብ	ቅዳሜ
	1	X2	X3	X4	X5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	X30				

አስተዳደግ

ልጃገረድ በምታድግበት ጊዜ ምን አይነት ለውጦች ይታያሉ?

1. በብብት እና በእምስ/ብልት

አከባቢ ፀጉር ያድጋል/ይበቅላል።

2. ጡቶችሽ ያድጋሉ።

3. የጡቶችሽ ጫፎች ያድጋሉ።

4. ዳሌሽ ወደ ክብነት ተቀይሮ ወገብሽ ቀጠን ያለ ያስመስለዋል።

5. በጉርምስና መጀመሪያሽ ጊዜ በፊትሽ ቡጉር ይወጣሻል።

6. ጉርሽ ዘይት የተቀባ ይመስላል።

7. የፍሬ አካላቶችሽ ያድጋሉ።

8. ድምፅሽ ለስላሳ ይሆናል/ለስለስ ይላል።

9. እድገንጥር መውጣት ይጀምረሻል።

10. የወር አበባ በወር አንድ ጊዜ ይመጣሻል።

11. በዚህ ጊዜ ልጃገረዶች አይነ አፋር ይሆናሉ።



የወር አበባሽን በየወሩ መቆጣጠር

የወር አበባ በሚታይሽ ጊዜ የእምስሽን አከባቢ በውሃ እና ሳሙና በቀን ከሁለት እስከ ሦስት ጊዜ መታጠብ አለብሽ። ሁሉ ጊዜ ወደ ትምህርት ቤት በምትሄጁ ተጨማሪ አንድ ወይም ሁለት መያዝ አለብሽ። የተጠቀምሽባቸውን የንፅሕና ፓዶች በውሃ እና ሳሙና አጥበሽ በፀሐይ አድርቂያቸው። እንደዚህ ማድረግ አዲስ እና ንፁሕ ይሆናሉ። ዎክ ማድረግ/መንቀሳቀስ ወይም መዘርጋት የመሳሰሉ የአካላት እንቅስቃሴዎች ከመሸማቀቅ ወይም ሆድ ቁርጠት ሊያድንሽ ይችላል። ምናልባት ለህመሙ ማስታገሻ መድሃኒት መውሰድ አለብሽ። በሚያሟሽ ጊዜ ለእናት ወይም ለክፍል መምህርሽ ተናገራ። ራስሽ በራስሽ ጥሩ የሆነ የግል ንፅሕናን ጠብቂ። የአከባቢሽን ንፅሕና ጠብቂ። ጥሩ የሆነ የተመጣጠነ የምግብ ሁኔታ መጠበቅ አለብሽ።



አንዳንድ ጊዜ ለማሰብ አስቸጋሪ ነው። የሆድ ቁርጠት የመገጣጠሚያ ህመም፤ የአጥንት ህመም፤ የራስ ህመም የመሳሰሉ አሉብን። መደገኒት እንወስዳለን፤ ሙቅ ሻይ እንጠጣለን፤ እረፍት ወይም ዎክ/እንቅስቃሴ እናደርጋለን።

አንዳንድ ጊዜ ሐዘን ይሰማናል፤ ድካም ይለናል፤
ወይም እንበሳጫለን።


እንደዚህ በሚሰማን ጊዜ ለእናቶቻችን፤
ለታላላቅ እህቶቻችን፤ ለንደኞቻችን
ወይም ለክፍል መምህራችን እንነግራለን።



የራሳቹ ተደጋግሞ ለመጠቀም የሚችሉ፣ ገንዘብ የማይጨርሱ እና አከባቢን የማያበላሹ ወይም የማይበክሉ የንዕሕና ፓዶች እንዴት እንደምትሰሩ፡

ዲዛይኑ ሁለት 23 በ 23 ሴንቲ ሜትር የሆነ የጥጥ ጨርቅ፡፡ በዚህ ዓይነት መንገድ ከ 251 ብር እስከ 348 ብር በዓመት ለመቆጠብ ትችላላችሁ፡፡

1. ከጥጥ ወይም ጀርሲ ጨርቅ - ሁለት እጥፍ የሆነ አንድ ላይ ተሰፍቶ፡፡
2. ፓዱን በሶስት ይታጠፋል፡፡ እያንዳንዱ ሁለት ወይም 6 ድርብ ስለሆነ ጥሩ የሆነ መከላከያ ይሰጣል፡፡ ይህ ሲባል ፓዱን የሚሸከም ሁለት ድርብ አያጠቃልልም ማለት ተሸካሚው ተጨማሪ ነው ማለት ነው፡፡
3. ፓድ የሚዘው እንደ ክንፍ የሚታጠፍ ዲዛይን ባለሁለት እጥፍ የጥጥ ጨርቅ አንድ ላይ ይሰፋል፡፡
4. በሁለቱ ጫፍ ፓዱን አጥብቆ የሚይዝ እንደ ቁልፍ መያዣ ይሰፋበታል፡፡
5. ለያንዳንዱ ክንፍ መያዣ ግጠሙበት፡፡
6. ፓድን እንዳይወድቅ ወደ ውጭ ታጥፎ ከፓንት ጋር አያይዛችሁ ግጠሙበት፡፡



የሴት አባልዘር/የሴትን ቂንጥር መቁረጥ/ መገረዝ ማለት ምንድር ነው?

ይህ አሰራር የልጃገረድን ውጫዊው የፍሬካማ አካል/ ቂንጥር መቁረጥ/መገረዝ እና እምሱን መስፋት የተለምደ ነው። የሴት አባልዘር/ቂንጥር መቁረጥ/ መገረዝ በዓለም አቀፍ ሁማን ራይት ህግ የተወገዘ እና በኢትዮጵያ ህግ (በኢትዮጵያ ዲሞክራቲክ ሪፖብሊክ የተደነገገ የወንጀልኞች ደምብ አዋጅ) የተከለከለ ነው። የሴቶች ማሕበር/ቡድን እና የዓለም አቀፍ መሕበርተኞች ይህንን ነገር/ዓይነት ሰራር እንዲቀር ወይም ጠቅላላ ከዓለም እንዲጠፋ ጠንክረው እየሰሩ ነው።



ልጃገረዶች ግወት የሚገባቸው ተጨማሪ መረጃ

ልጃገረዶች በሊጋ እድሜያቸው የሚያረግዙ በወሊድ ጊዜ ችግር ይፈጥርባቸዋል። ምክንያቱም ሰውነታቸው ገና ጠቅልሎ አልደረሰም እና። በወሊድ ወይም ምጥ ጊዜ በእምስ አካባቢ ቂጥ እና የሽንት መውጫ ይቀደዳሉ። ይህ ሲሆን ፊስቱላ ተብሎ የጠራል። በሊጋነት ጊዜ መዳር እና ማርገዝ፤ በሎም በወሊድ ጊዜ ሲራዘም መቅደድ/መሰንጠቅን ያስከትላል። ሴትየዋ ሽንት እና ሰገራ መቆጣጠር ያቅታታል። ለተቀደደው የተለየ የቅዶ ጥገና አሰራር አለው። **አባልዘር/ የሴትን ቂንጥር መቁረጥ/መገረዝ፡** ይህ ፍትውተ ስጋ እና በዘመዳሞች መሐል የገረብረሱ ግንኙነት እንዳይኖር ለመቀነስ በህብረተሰቡ ልማዳዊ ተግባር ይደረጋል። ልጃገረዱ በቤተሰቧ ቁጥጥር ናት።

ቂንጥርን መቁረጥ/መገረዝ መውለድን

ያዘገያል። ብዙ ደም እንዲፈስ ያደርጋል። ክፉ ድንጋጤ፤ ሰውነትን ማበጥ፤ ሐይለኛ/ከባድ ትኩሳት፤ ፊስቱላ፤ እና ሴቷ እንዳትወልድ፤ ወዘተ የመሳሰሉ ነገሮች ያስከትላል።

እርግዝና እና በወሊድ ጊዜ

ልጃገረድ አንዴ የወር አበባ ከጀመረች ለማረጋገጥ ትችላለች። ነገር ግን ሰውነቷ ለጋ በመሆኑ ልጅ ለመውለድ ጠቅላላ አልተዘጋጀም። እርግዝና የሚጀምረው በግብረሰጋ ጊዜ የወንዱ ዘር ከሴቷ እንቁላል ጋር ሲገናኝ ነው። የደረሰው/ፈርተላይዝድ የሆነ እንቁላል በማህፀን ወደ ህፃንነት ያድጋል። በእርግዝና ጊዜ ሴትየዋ ቅድመወሊድ እና በወሊድ ጊዜ ጥንቃቄ ያስፈልጋታል። እርግዝና ዘጠኝ ወራት ይፈጃል እና በዚህ ጊዜ ህፃኑን ይወለዳል። በእርግዝና ጊዜ ልጅን ለመውለድ በሚያደርገው ዝግጅት በሰውነትሽ ብዙ ነገሮችን ይቀያየራል። በዚህ ጊዜ የወር አበባ አይታይም። በእርግዝና ጊዜ ደም መፍሰስ ከጀመረሽ ወዲያውኑ ወደ ዶክተር መሄድ አለብሽ። ጥንቃቄ የሌለው ግብረሰጋ ከፈፀመሽ ቡኃላ የወር አበባ ካልታየሽ አርግዘሻል ማለት ነው።



የሚመረጠው ቢያንስ ሲቶች በሁለት ዓመት አንዴ ወይም ወልደው ከመድገማቸው በፊት የሁለት ዓመት ርቀት መኖር አለበት። አራርቆ መውለድ ለሴት/እናት ልጅዋን በደንብ ለመንከባከብ/ለማሳደግ እና ቢሎም ለራስዋ በደንብ እንድትጠነክር ጊዜ ይሰጣታል።

እርግዝና ለመከላከል/ለማስወገድ የሚቻለው ዘዴ/መንገድ እንዴት ነው?

ግብረሰጋ ግንኙነት አለመፈፀም፤ በግብረሰጋ ግንኙነት
ኮንዶሞች መጠቀም፤ የማይረገዝብት ቀኖቹን ለይቶ
ማወቅ፤ እና ሌሎች የመከላከያ ዘዴዎችን መጠቀም።
የመከላከያ ዘዴዎች፡- እንደነ ኪኒን፤ ዲፖፕሮቬራ
በቀዶ ጥገና የሚገባ እና ኮንዶሞች የመሳሰሉ ይሆናሉ።
የሚመረጠው ሴቶች ሲወልዱ የሁለት ዓመት ርቀት
መኖር አለበት። በዚህ መንገድ ሴትየዋ ለሕፃንዋ
እንድትከባከብ ጊዜ ይሰጣታል።



በግብረሰጋ ግንኙነት የሚተላለፉ በሽታዎች (ኤስቲዲ) ምንድር ናቸው?

ኤስቲዲ እንደነ ጨብጥ ፤ ቂጥኝ ፤ ችላሚዲያ እና ኤችአይቪ/ኤድስ የመሳሰሉ ያጠቃለለ ነው።
ኤስቲዲ የሚሰራጨው/የሚተላለፈው ከበሽታ ከተያዘው ሰው ጋር ግብረሰጋ በመፈፀም ነው።
ጥንቃቄ ሌለው ግብረሰጋ ማለት ወንዱን ኮንዶም ሳያደርግ ግብረሰጋ ግንኙነት መፈፀም ማለት
ነው። ኤችአይቪ/ኤድስ ማለት በጣም አስጊ እና ከባድ የሆነ በሽታ እድሜን ልክ መድሃኒት
የሚጠይቅ ነው።

ጤንነትን መጠበቅ

ልጃገረዶችን ማስተማር፤

በብዛት ጊዜ ልጃገረዶች መናኛ ወይም ዝቅተኛ ማለት ከሰው በታች/የተለዩ ሆነው ይሰማቸዋል። ችግር ካላት ችግሩን ለማቃለል አትችልም። ራሷ በራሷ እምነት የላትም ብሎም ዓይነ ዓፋር ናት። ከተማረች ግን ያላትን ችግር ራሷ በራሷ ለመተዳደር ብሎም ችግሯን ለማስወገድ ትችላለች።

የራስን ንጽሕና መጠበቅ፤ ለያንዳንዱ

የሰራ ክንውን በቅድሚያ እና ቡኃላ ምግብ ከመብላት በፊት እጅን መታጠብ። **የአካባቢን ንጽሕና**፤ ቆሻሻዎች ማጠራቀሚያ ውስጥ መክተት እና መክደን **የቤት ንጽሕና**፤ ውሃ መወግብ እና ሁሉም የምግብ እቃዎች በንጽሕና መጠበቅ እና መክደን/መሸፈን። በየጊዜው ጠጠራማ እና ፈላሽን ነገሮች በአግባቡ ማስወገድ መለማመድ። በክፍት ቦታ ለገራ መውጣት ማስወገድ።



አባለዘር/የሴትን ቂንጥር መቁረጥ/

መግረዝ፡ ይህ ፍትውተስጋ እና በዘመዳሞች መሐል የገረብረስጋ ግንኙነት እንዳይኖር ለመቀነስ በህብረተሰቡ ልማዳዊ ተግባር ይደረጋል። ልጃገረዷ በቤተሰቧ ቁጥጥር ናት። ቂንጥርን መቁረጥ/መግረዝ መውለድን ያዘገያል። ብዙ ደም እንዲፈስ ያደርጋል። ክፉ ድንጋጤ፤ ሰውነትን ማበጥ፤ ሐይለኛ/ከባድ ትኩሳት፤ ፊስቱላ፤ እና ሴቷ እንዳትወልድ፡ ወዘተ የመሳሰሉ ነገሮች ያስከትላል።

ኢችአይቪ የሚተላለፈው ከአንድ ጓደኛ በላይ ጥንቃቄ በሌለው ፍትውተስጋ/ግብረስጋ በመፈፀም፤ ከጆርም ነፃ ያልሆነ መሳሪያ በመጠቀም፤ በእርግዝና ጊዜ ከእናት ወደ ልጅ በምጥ እና ጡት በማጥባት በመሳሰሉ ይተላለፋል።

የመምህርን አመለካከት/ቃል፡

ሃይለ የፍረብረት ሁለተኛ ደረጃ ትምህርት ቤት ምክትል ዳይሬክተር የሰጠው አስተያየት፤

በ2010 የንጽሕና ፓድ አሰራር ከመጣ ጀምሮ ሁሉም ልጃገረዶች በቂ የሆነ የንጽሕና ፓድ፤ ከነጭማሪው ለድንገተኛ ቀን በትምህርት ቤት ሰርተወል።

ልጃገረዶች በትምህርት ቤት የወር አበባ በሚታያቸው ጊዜ የክፍል ሐላፊ በራስን የተሰራ ፓድ ይሰጣቸዋል።

ለዛች ቀን ልጃገረዷን ፍቃድ ይሰጣታል። በ2010 በራስን የሚሰራ ፓድ ከመጣ ጀምሮ ከትምህርት የሚቀሩ

በብዛት አንድ ቀን ነው። ቀደም ሲል ግን ከ3 እስከ 5 ቀኖች ወይም ከዛ በላይ ነበር የሚቀሩት።

ከአከባቢ ከሚገኘው ጨርቅ የተሰራ ሞዴስ ከተጠቀሙ፤

- ኩራት ይሰማቸዋል።
- ሊያፍሩ አይችሉም።
- ከትምህርት ቤት ሊቀሩ አይችሉም።
- በራሳቸው ሊተማመኑ ይችላሉ።
- በበለጠ ራሳቸውን ከፍ በማድረግ ያከብራሉ (ይንከባከባሉ)።
- ከትምህርት ቤት እውቀት ያገኛሉ።
- ነጻነት እና መቼት ይኖራቸዋል።
- በተሰጣቸው የተፈጥሮ ጸጋ ከብር ይሰማቸዋል።
- ለሌሎች ልጃገረዶች ምክር ይሰጣሉ።



ለኢትዮጵያ ሴቶች እና ልጃገረዶች ለዚህ መጽሐፍ ላባረኩቱ እና ወንዶች ድጋፋቸውን ለሰጡ ሁሉ



የኢትዮጵያ ጥጥ ዘላቂ/ዕንጉ የሆነ ህብር ያለው እና ለስላሳ ነው። ለሴቶች አመቺ የሆነ ለማበሻ እና ለብታንት የሚሆን ጨርቅ ነው። ልጃገረዶች የራሳቸውን የንጽሕና ፓድ እንዴት እንደሚሰሩ ማስተማር ለረጅም ጊዜ የሚሆን የአሰራር ልምድ አግኝተው በትምህርታቸው፤ በገቢ ምንጫቸው እና በአከባቢ ሁኔታ በሚመለከት ዘላቂ የሆነ እውቀት ሰጥቷቸዋል። ራስን በራስ መተማምን ብለውም ክብር እና ኩራት እንደተሰማቸው በመምህራቸው እና በቤተሰባቸው ይታያል/ይገለጻል።



"ድር ቢያብር አንበሳ ያስር"

የኢትዮጵያ ምሳሌ



